


Power Supplies - Open Frame


APS-530

Model Name	P/N: 50966911000E			
APS-530 Open Frame AC 70W	Input Range	90 ~ 260V _{AC} Full Range		
	Output Voltage	+5V	+12V	-12V
		10A 0A min	1.5A 0A min	0.3A 0A min
	MTBF (hours)	50,000h		
	Safety	Meets UL1950, CSA C22.2 NO.234,CE		
	Dimensions	127 x 76.2 x 29 mm		
Compatible with Axiomtek Products	EM1610/EM1611/EM60321/EM60321C/eBOX745-EFL/eBOX746-EFL			




APS-536

Model Name	P/N: 50969911000E			
APS-536 Open Frame DC 72W	Input Range	36 ~ 72V _{DC}		
	Output Voltage	+5V	+12V	-12V
		10A 0A min	1.5A 0A min	0.3A 0A min
	MTBF (hours)	50,000h		
	Safety	Meets UL1950, CSA C22.2 NO.234,CE		
	Dimensions	127 x 76.2 x 29 mm		
Compatible with Axiomtek Products	EM1610/EM1611/EM60321C/eBOX745-EFL/eBOX746-EFL			



APS-534

Model Name	P/N: 50967911000E			
APS-534 Open Frame DC 72W	Input Range	18 ~ 36V _{DC}		
	Output Voltage	+5V	+12V	-12V
		10A 0A min	1.5A 0A min	0.3A 0A min
	MTBF (hours)	50,000h		
	Safety	Meets UL1950, CSA C22.2 NO.234,CE		
	Dimensions	127 x 76.2 x 29 mm		
Compatible with Axiomtek Products	EM1610/EM1611/EM60321/EM60321C/eBOX745-EFL/eBOX746-EFL			



Архангельск (8182)63-90-72
Астана +7(7172)727-132
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Казань (843)206-01-48

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41


Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Power Supplies - Open Frame

APS-532

Model Name	P/N: 50968911000E					
APS-532 Open Frame DC 72W	Input Range	9 ~ 18V _{DC}				
	Output Voltage	+5V	+12V	-12V		
		10A 0A min	1.5A 0A min	0.3A 0A min		
	MTBF (hours)	50,000h				
	Safety	Meets UL1950, CSA C22.2 NO.234,CE				
	Dimensions	127 x 76.2 x 29 mm				
	Compatible with Axiomtek Products	EM1610/EM1611/EM60321/EM60321C/eBOX745-EFL/eBOX746-EFL				



Power Supplies - 1U Type

PS200-1U

Model Name	P/N: 50914506010E						
PS200-1U ATX 200W	Input Range	90 ~ 260V _{AC} Full Range					
	Output Voltage	+5V	+3.3V	+12V1	+12V2	-12V	+5Vsb
		17A	14A	6A	12A	0.8A	2A
	MTBF (hours)	AT 25°C 100,000h					
	Safety	CB, TUV, CE, FCC, C-TICK, CUL, UL, CCC					
	Dimensions	150 x 81.5 x 40.5 mm					
Compatible with Axiomtek Products	AX61120, AX60530						



PS270-1U

Model Name	P/N: 50954A24110E						
PS270-1U ATX 270W	Input Range	90 ~ 264Vac Full Range					
	Output Voltage	+5V	+3.3V	+12V1	+12V2	-12V	-12V
		18A (0.5A min)	16A (0.5A min)	16A (1A min)	10A (1A min)	0.8A	0.8A
	MTBF (hours)	AT 25°C 100,000h					
	Safety	TUV, CSA22.2 NO.60950-1, IEC, UL, NEMKO, CE					
	Dimensions	150 x 81.5 x 40.5 mm					
Compatible with Axiomtek Products	AX61120/AX60530						



Power Supplies

- Mini Redundant Power

PS300-HRP

Model Name	P/N: 50914709620E						
PS300-HRP Redundant Power ATX 300W	Input Range	90 – 264Vac Full Range					
	Output Voltage	+5V	+3.3V	+12V	-12V	-5V	+5Vsb
		25A (3A min)	18A (1A min)	16A (2A min)	0.5A	0.5A	2A (0.1A min)
	MTBF (hours)	100,000h					
	Safety	UL, UL+C, TUV, CB, CE					
	Dimensions	185 x 150 x 86 mm					
	Compatible with Axiomtek Products	AX61220					



PS400-HRP

Model Name	P/N: 50914B09620E						
PS400-HRP Redundant Power ATX 400W	Input Range	90 – 264Vac Full Range					
	Output Voltage	+5V	+3.3V	+12V	-12V	-5V	+5Vsb
		35A (3A min)	25A (1A min)	28A (2A min)	1.2A	0.5A	2A (0.1A min)
	MTBF (hours)	100,000h					
	Safety	UL, UL+C, TUV, CB, CE					
	Dimensions	185 x 150 x 86 mm					
	Compatible with Axiomtek Products	AX6156LE					



PS501-HRP (AC inlet in front)

Model Name	P/N: 50904C09010E						
PS501-HRP Redundant Power ATX500W	Input Range	100 ~ 240Vac Full Range					
	Output Voltage	+5V	+3.3V	+12V	-12V	+5Vsb	
		25A	25A	41A	0.8A	3.5A	
	MTBF (hours)	AT 25°C 100,000h					
	Safety	CB, CCC, UL, TUV, CE, FCC					
	Dimensions	185 x 150 x 86 mm					
	Compatible with Axiomtek Products	AX6156LE, AX61220					



Power Supplies - PS/2 Type

PS302-XP2

Model Name	P/N : 50903724010E						
PS302-XP2 PS/2 Type ATX 300W	Input Range	100-240Vac Full Range					
	Output Voltage	+5V	+12V1	+12V2	-12V	+5Vsb	+3.3A
		16A	17A	17A	0.3A	2.5A	19A
	MTBF (hours)	AT 25°C 100,000h					
	Safety	UL, CSA, CE, FCC					
	Dimensions	150 x 140 x 86 mm					
Compatible with Axiomtek Products	AX61221, AX61222, AX61220, AX61400, AX6156LE, AX60552, AX60501, AX60551, AX61492						



PS400-XP2

Model Name	P/N: 50904B24000E						
PS400-XP2 PS/2 Type ATX 400W	Input Range	90 - 264Vac Full Range					
	Output Voltage	+5V	+3.3V	+12V1	+12V2	-12V	+5Vsb
		20A (0.5A min)	20A (0.3A min)	16A (1A min)	16A (1A min)	0.5A	2.5A (1A min)
	MTBF (hours)	AT 25°C 100,000h					
	Safety	TUV, CSA22.2 NO.60950-1, IEC, UL, NEMKO+CB,CE					
	Dimensions	150 x 140 x 74 mm					
Compatible with Axiomtek Products	AX61221, AX61222, AX60501, AX60551, AX60552, AX61400, AX6145, AX6156, AX61492, AX61220						



PS500-XP2

Model Name	P/N: 50904C06000E							
PS500-XP2 PS/2 Type ATX 500W	Input Range	90 - 265VAC Full Range						
	Output Voltage	+5V	+3.3V	+12V	+12V1	+12V2	-12V	+5Vsb
		24A (0.3A min)	24A (0.5A min)	34A (1A min)	17A (1A min)	17A (1A min)	0.8A	2.5A
	MTBF (hours)	AT 25°C 100,000h						
	Safety	TUV, CUL, CB, IEC60950-1, GB4943-2001, UL60950-1, EN60950-1						
	Dimensions	150 x 140 x 86 mm						
Compatible with Axiomtek Products	AX61221, AX61222, AX60501, AX60551, AX60552, AX61400, AX6145, AX6156, AX61492, AX61220							



Power Supplies - PS/2 x 2 Redundant Power

PS401-HRP


Model Name	P/N: 50914B09300E						
Input Range	90 ~ 264Vac Full Range						
Output Voltage	+5V	+3.3V	+12V	-12V	-5V	+5Vsb	
	35A (5A min)	28A (1A min)	20A (2.5A min)	1A	0.8A	2A (0.1A min)	
MTBF (hours)	100,000h						
Safety	UL, CSA, TUV, CE						
Dimensions	183 x 167 x 187.8 mm						
Compatible with Axiomtek Products	AX61492						



Power Supplies - Mini Redundant Power

PS500-HRP

Model Name	P/N: 50904C09000E					
Input Range	100 ~ 240Vac Full Range					
Output Voltage	+5V	+3.3V	+12V	-12V	+5Vsb	
	25A (1A min)	25A (1A min)	41A (1A min)	0.8A	3.5A (0.1A min)	
MTBF (hours)	AT 25°C 100,000h					
Safety	UL, TUV, CB, CCC, RFI/EMI Standards, FCC Class B, CISPR22 Class B					
Dimensions	185 x 150 x 86 mm					
Compatible with Axiomtek Products	AX61492					



Архангельск (8182)63-90-72
Астана +7(7172)727-132
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Казань (843)206-01-48

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41

Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93